



THIS PLAN MUST BE PRINTED IN COLOUR  
AND READ IN CONJUNCTION WITH THE JCA  
REPORT (JCA REF: 14354/PH).

### Root Protection Area: RPA

THE ROOT PROTECTION AREA (RPA) INDICATES THE LIKELY ROOTING ZONE OF A TREE.

THIS AREA SHOULD IDEALLY REMAIN UNDISTURBED IF THE TREE IS TO BE RETAINED.

THE DEVELOPMENT PROPOSALS SHOULD THEREFORE BE DESIGNED TO AVOID THE RPA OF ANY TREE WHICH IS TO BE RETAINED.

IF IT IS NECESSARY FOR THE DEVELOPMENT TO ENCROACH INTO THE RPA OF A TREE WHICH IS TO BE RETAINED THEN SPECIALIST CONSTRUCTION TECHNIQUES AND MATERIALS MUST BE CONSIDERED.



### Appendix 6: Tree Constraints Plan

ADDRESS: Land off Green Lane  
Audlem, Crewe, CW3 0ES.  
JCA REF: 14354/PH

SCALE : 1:1000

PAPER SIZE : A1

SURVEYED BY: PH

DRAWN BY: PH

APPROVED BY: EW

BRITISH STANDARD 5837:2012: 4.5  
RETENTION CATEGORIES  
Detailed definitions of these categories are at Appendix 2 of our report. N.B. These categories do not necessarily represent or correspond to recommendations for action made in this report.

	CATEGORY A: 'RETENTION MOST DESIRABLE'
	CATEGORY B: 'RETENTION DESIRABLE'
	CATEGORY C: 'TREE WHICH COULD BE RETAINED'
	CATEGORY U: 'TREE FOR REMOVAL'
	STEM OF TREE TO BE RETAINED
	STEM OF TREE TO BE REMOVED
	ROOT PROTECTION AREA
	ROOT PROTECTION AREA (PRIOR TO OFF-SETTING)

